

LAAS (Large Area Air Shower experiments) collaboration

**Atsushi Iyono¹, Hiroki Matsumoto², Kazuhide Okei³, Shuhei Tsuji³, Sohji Ohara⁴,
Nobuaki Ochi⁵, Takeharu Konishi⁶, Nobusuke Takahashi⁷, Isao Yamamoto⁸,
Takaro Nakatsuka⁹, Toru Nakamura¹⁰, Nobuharu Ohmori¹⁰ and Katuhiko Saitoh¹¹**

¹*Dept. of Fundamental Science, Okayama University of Science, Okayama 700-0005, Japan,
e-mail:iyono@das.ous.ac.jp*

²*Graduate School of Informatics, Okayama University of Science, Okayama 700-0005, Japan*

³*Kawasaki Medical School, Kurashiki, Okayama 701-0192, Japan*

⁴*Nara University of Industry, Ikoma-gun, Nara 636-8503, Japan*

⁵*Yonago National College of Technology, Yonago, Tottori 683-8502, Japan*

⁶*Department of Physics, Kinki University, Higashi-Osaka, Osaka 577-8502, Japan*

⁷*Department of Advanced Physics, Hirosaki University, Hirosaki, Aomori 036-8561, Japan*

⁸*Faculty of Engineering, Okayama University of Science, Okayama 700-0005, Japan*

⁹*Okayama Shoka University, Okayama 700-8601, Japan*

¹⁰*Faculty of Science, Kochi University, Kochi 780-8520, Japan*

¹¹*Ashikaga Institute of Technology, Ashikaga 326-8558, Japan*